

V-MAR[®] 10P

Cohesion agent for pump and underwater concrete mixes

Product Description

V-MAR®10P is a colloid-based product giving the concrete a fattier, creamy consistency.

Dosage

- Improved pumping and anti-segregation performance: 50 to 150gms / m3.
- Underwater concreting: 0.1 to 0.5% of cement weight (normal average dose 0.3%).
- Compatible with all cement types.

Product Advantages

V-MAR 10P produces a more cohesive, highly workable concrete with the following advantages:

- Greatly reduced underwater washout with improved pumping qualities
- Reduced pumping pressures, improved pumping distances
- Much reduced segregation (ideal for paving, exposed aggregate concretes)

Directions For Use

Spread the required amount of V-MAR 10P powder onto the dry aggregates (or the cement), briefly "dry-mix" and then add gauging water to "wet out" concrete.

Depending on the dosage level it may be necessary to mix for an additional 1 to 2 minutes, as a slight temporary stiffening may occur at the start of mixing process. This temporary condition is generally associated with high dosage levels.

Characteristics of the concrete obtained:

The addition of V-MAR 10P will have no noticeable effect on the following:

- The amount of water in the concrete mix
- Air contents
- Short, medium or long-term mechanical properties



Technical Specifications

- Very light beige powder.
- Apparent density : 0.65 to 0.75.
- Sensitivity to humidity : lumps formed if kept outdoors.
- Non-toxic, biodegradable and environmentally friendly.
- Chloride content : < 0.1%.

Storage

Two years in original, properly sealed packaging. Do not store in damp conditions.

Packaging

V-MAR 10P is available in 10kg pail.

Safety

For further information, please consult V-MAR 10P Material Safety Data Sheet.

gcpat.hk | For technical information: asia.enq@gcpat.com

We hope the information here will be helpful. It is based on data and knowledge considered to be true and accurate, and is offered for consideration, investigation and verification by the user, but we do not warrant the results to be obtained. Please read all statements, recommendations, and suggestions in conjunction with our conditions of sale, which apply to all goods supplied by us. No statement, recommendation, or suggestion is intended for any use that would infringe any patent, copyright, or other third party right.

V-MAR and ADVA are trademarks, which may be registered in the United States and/or other countries, of GCP Applied Technologies, Inc. This trademark list has been compiled using available published information as of the publication date and may not accurately reflect current trademark ownership or status.

© Copyright 2017 GCP Applied Technologies, Inc. All rights reserved.

GCP Applied Technologies Inc., 2325 Lakeview Parkway, Alpharetta, GA 30009, USA

GCP (Hong Kong) Ltd., 6 On Chuen Street, On Lok Tsuen Ind Area, Fanling, Hong Kong

This document is only current as of the last updated date stated below and is valid only for use in Hong Kong. It is important that you always refer to the currently available information at the URL below to provide the most current product information at the time of use. Additional literature such as Contractor Manuals, Technical Bulletins, Detail Drawings and detailing recommendations and other relevant documents are also available on www.gcpat.hk. Information found on other websites must not be relied upon, as they may not be up-to-date or applicable to the conditions in your location and we do not accept any responsibility for their content. If there are any conflicts or if you need more information, please contact GCP Customer Service.